Appl. No. 10/009,910

Amdt. Dated April 12, 2004

Reply to Office Action of January 16, 2004

Attorney Docket No. 81839.0107

Customer No.: 26021

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in

the application:

<u>Listing of Claims</u>:

Claim 1 (Previously Presented): A method for producing a silicon single

crystal, wherein the silicon single crystal is pulled while doping with carbon and

controlling V/G (V: crystal pulling rate, G: crystal solid-liquid interface temperature

gradient along a growing axis) to have an N-region over an entire plane of the

crystal, the silicon single crystal being pulled at a rate greater than the rate of

pulling a silicon single crystal with no carbon doping, and in which the silicon single

crystal is grown in accordance with Czochralski method.

Claim 2 (Previously Presented): The method for producing a silicon single

crystal according to claim 1, wherein the silicon single crystal is doped with

nitrogen as well as carbon in which the CZ silicon single crystal is grown.

Claim 3 (Previously Presented): The method for producing a silicon single

crystal according to claim 1, wherein the silicon single crystal is pulled while doping

with carbon having concentration of 0.1 ppma or more and controlling V/G within a

range of 0.183 to 0.177 mm<sup>2</sup>/K·min.

Claim 4 (Previously Presented): The method for producing a silicon single

crystal according to claim 2, wherein a silicon single crystal is pulled while doping

with carbon having concentration of 0.1 ppma or more and controlling V/G within a

range of 0.183 to 0.177 mm<sup>2</sup>/K·min.

Page 2 of 14

Customer No.: 26021

Claim 5 (Previously Presented): A method for producing a silicon single crystal, wherein the silicon single crystal produced by the method according to claim 1 is processed into wafers, and the wafers are subjected to heat treatment at a

temperature of 600 to 1000°C.

Claim 6 (Previously Presented): A method for producing a silicon single

crystal, wherein the silicon single crystal produced by the method according to claim

2 is processed into wafers, and the wafers are subjected to heat treatment at a

temperature of 600 to 1000°C.

Claim 7 (Previously Presented): A method for producing a silicon single

crystal, wherein the silicon single crystal produced by the method according to claim

3 is processed into wafers, and the wafers are subjected to heat treatment at a

temperature of 600 to 1000°C.

Claim 8 (Previously Presented): A method for producing a silicon single

crystal, wherein the silicon single crystal produced by the method according to claim

4 is processed into wafers, and the wafers are subjected to heat treatment at a

temperature of 600 to 1000°C.

Claim 9 (Currently Amended): A silicon wafer, which contains carbon of 0.1

ppma or more and has an N-region over an entire plane thereof, and which has been

pulled at a rate greater than the rate of pulling a silicon single crystal with no

carbon doping, and in which oxygen precipitation nuclei of 1 x 109 number/cm3 or

more are generated by a heat treatment at 600-1000°C thereto.

Claim 10 (Original): The silicon wafer according to claim 9, which contains

nitrogen of 1 x 10<sup>13</sup> number/cm<sup>3</sup> or more.

Page 3 of 14

Appl. No. 10/009,910 Amdt. Dated April 12, 2004 Reply to Office Action of January 16, 2004 Attorney Docket No. 81839.0107 Customer No.: 26021

Claims 11-18 (Cancelled).